

Battery Heating Pads


A fully charged battery has only 40% cranking power at 0° F when compared to 100% cranking power at 80° F.

When batteries are placed in an insulated battery box, a thermostat is recommended



to sense battery box temperature to prevent overheating the battery.

Battery heater not recommended for nickel cadmium batteries.



Standard Pad for Single Battery



Special Pads for Multiple Batteries






Typical Connection - 2 Batteries on Each Side of Vehicle



Model Number	Volts	Watts	Amps	Nominal Dimensions		Batt. Size	Style
				A	B		
KB5015	120	50	.42	8 1/4	13	4D	A
KB5015-S	120	50	.42	8 1/4	13	4D	B
KB5015-D	120	50	.42	8 1/4	13	4D	C
KB7515	120	75	.63	10 1/2	18 1/2	8D	A
KB7515-S	120	75	.63	10 1/2	19 1/2	8D	B
KB7515-D	120	75	.63	10 1/2	19 1/2	8D	C
KB7523	240	75	.31	10 1/2	18 1/2	8D	A
KB7523-S	240	75	.31	10 1/2	19 1/2	8D	B
KB7523-D	240	75	.31	10 1/2	19 1/2	8D	C

Accessories For Multiple Battery Heating



EXTENSION CORDS	
Model	Length
BEC-2	2'
BEC-4	4'
BEC-6	6'
BEC-8	8'

POWER SUPPLY CORDS		
Model	Length	Volts
BPC-31	3'	120
BPC-32	3'	240
BPC-61	6'	120
BPC-62	6'	240

THERMOSTAT & "Y" CORD ASSEMBLY		
Model	Temperature Control	
	On	Off
BY-T68	60°F	80°F

Prolong the life of your battery with Kim Hotstart thermal battery wraps with or without thermostat.

- Durable, fire-retardant vinyl cover that resists oils and acids.
- All standard battery pads and battery wraps come with 6' grounded cord and plug.
- Fast, easy installation.
- Boosts battery cranking power as much as 75%.

BATTERY THERMAL WRAP — NO THERMOSTAT			
Model Number	Volts	Watts	Length
KBW5015-000	120	50	28"
KBW8015-000	120	80	36"
KBW16015-000	120	160	72"

Thermostatically controlled battery thermal wraps provide optimum heating regardless of ambient temperature.

- At 80°F, the battery will achieve maximum cold cranking amps.
- Battery is constantly maintained at 80°F.
- Provides greater heat rise than plates or pads.
- Thermostat will eliminate battery damage caused by overheating and acid spill.

Thermostat range: 65°F - 80°F

BATTERY THERMAL WRAP — WITH THERMOSTAT			
Model Number	Volts	Watts	Length
KBW5015T-000	120	50	26"
KBW5024T-000	240	50	26"
KBW8015T-000	120	80	44"
KBW8024T-000	240	80	44"
KBW10015T-000	120	100	56"
KBW10024T-000	240	100	56"

Battery Thermal Wrap

